-	POPULATI ON	ESTI MATES		LON	G-TERM CARE -		LOCAL HEAL	TH DEPARTM	IENTS
								Per	
Total 2003 Population 5, 160			Community Options and MA Waiver			10,000 Staffing - FTE Number Population			
Daniel attack and a second will a			as HSRS reports costs for services			Staffing - FIE	Number	Popul ati on	
Population per square mile 11						Total štaff Administrative	2. 9	5.6	
	County ranking i'n	state (1-	(12) 69	000	Clients	Costs	Administrative	1. 0	1. 9
			-	COP	0	\$1, 216	Public health nurs Other prof. staff Technical/Paraprof Support staff	es .	
	Age Female	Male	Total	MA Waiver *	4	#57.050	Other prof. staff	0.6	1. 2
	0-14 410	440	850	CI P1A	1	\$57,859	Techni cal /Paraprof	0.3	0.6
	15-19 150	190	330	CI P1B	11	T. 0 / /	Support staff	1. 0	1. 9
	20-24 100	120	220	CI P2	1 11 0 30	\$0	Francisco de		D
	25-29 90	90	180	COP-W	30	\$180, 364	Fundi ng Total Local Taxes	#4/ F 7 00	Per capi ta
	30-34 140	130	270	CSLA Brain Injury Total COP/Wvrs	0	\$0	IOTAI	\$165, 733	\$31.93 *0.71
	35-39 190	180	370	Brain injury	0	\$0	Local laxes	\$50, 414	\$9. / 1
	40-44 220	230	450	Total COP/WVrs	42	\$347, 367			
	45-54 400	450	840	#27 2F2 -£	4la alaa		LI CENSED E	STABLE SHIME	.1015
	55-64 340	350	700	\$37,353 OT	the above wa	alver costs	T	Connoi tu	Facilities
	65-74 240 75-84 160	270	520	were paid as	local match/c	overmatch	Type	Capaci ty	Facilities
		150 40	300 130	using COP fund not included	us. Inis and	ont is	Sed & Breaklast	11	2
	85+ 90 Total 2,520			not included	in above cop	Costs.	Camps Untale Matale	124	6
-	Total 2, 520	2, 640	5, 160	* Waiver cost:	s reported be	\r_0	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	90 14	8 6
-	Age Female	Total	include fede	s reported ne	ei e	Pools	10	1	
		Mal e 550	1, 050	i incrude rede	rai runurng.		Restaurants		46
	0-17 500 18-44 800	830	1, 620		Clients	Costs	Vendi ng		2
-	45-64 740	800	1, 540	Eligible and Waiting	CITCIILS	CUSTS	vendring		2
	45-64 740 65+ 490	800 460	950	Lingible and Waiting	0	n/a			
	Total 2, 520	2, 640	5, 160	warting	U	11/4			
	10tai 2, 320	2,040	3, 100	 (Family Care n	nt nrovided i	n county)	WIC PAR	TICIDANTS	
-	Poverty Estimates fo	or 2000		Trailing care in	ot provided i	ii county)	WICTAN	III CII ANIS	
	. Ectim	nato (C	1 +/-)						Number
١	All ages Ages 0-17	465	64	Note: Eligible	and waiting	clients	Pregnant/Postpartu	ım	43
	All ages	9 1%	(14%)	will be phase	ed into the (OP and MA	Infants	1111	52
١	Ages 0-17	144	29	Waivers as a	vai Lahle		Children, age 1-4		95
	1,903 0 17	17 4%	$(20\%)^{-1}$		var rabi c.		Total		190
-	•	12. 170	(2010)				10 tai		170
EMPLOYMENT							CANCER INC	IDENCE (20	002)
Average wage for jobs covered				Home Health Ag	enci es	0	Primary Site	. 52.162 (26	, o)
by unemployment compensation \$19,548			Patients	00. 00	71	Breast		4	
١	(place of work)		. , , &	Patients per	10.000 pop.	138	Cervi cal		1
١	,		Annual		. o, ooo pop.		Col orectal		3 5
-	Labor Force Estimates	s A	verage	Nursing Homes		1	Lung and Bronchus		5
١			-	Li censed beds		73	Prostate		Ĭ
١	Civilian Labor Force	<u> </u>	2.719	Occupancy rate	e	81.6%	Other sites		11
	Number employed		2, 548	Nursing Homes Licensed beds Occupancy rate Residents on	Dec. 31	60	Total		25
	Number unemploved		[.] 171	Residents age	65 or older				
Civilian Labor Force 2,719 Number employed 2,548 Number unemployed 171 Unemployment rate 6.3%		6. 3%	per 1,000 po	pul ati on	59	Note: Totals shown	are for		
	, 3			, , ,	•		i nvasi ve cand		
_						'			

			NATA	JITY				
TOTAL LIVE BIRTHS		37		Births	Percent	Marital Status		
TOTAL ELVE BIKING		0,	First	15	41	of Mother	Bi rths	Percent
Crude Live Birth Rate	.	7. 2	Second	16	43	Marri ed	35	95
General Fertility Rat		42. 1	Thi rd	4	11	Not married	2	5
General Tertifity Nat	C	4Z. I	Fourth or higher		5	Unknown	0	0
Live birthe with rene	rtod		Unknown	0	0	UTIKITOWIT	U	U
Live births with repo	n tea	0 00/	UTIKTIOWIT	U	U	Education		
congenital anomalies		0 0.0%				Educati on	Di satta a	D
	51		4 . 5	5.		o <u>f</u> Mother	Bi rths	Percent
Delivery Type	Bi rths	Percent	1st Prenatal Visit		Percent	Elementary or le	ess 0	0
Vagi naľafter			1st trimester	33	89	Some high school	2	5
previ ous cesarean	1	3	2nd trimester	4	11	High school	15	41
Forceps	0	0	3rd trimester	0	0	Some college	7	19
Other vaginal	26	70 8	No visits	0	0	College graduate	e 13	35
Pri mary česarean	3	8	Unknown	0	0	Unknown	0	0
Repeat cesarean	7	19						
1	•		Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	0	0	of Mother	Bi rths	Percent
<1, 500 gm	Λ	\cap \cap	1-4	1	3	Smoker	7	19
1,500-2,499 gm	Õ	0. 0	5-9	5	14	Nonsmoker	30	81
2, 500+ gm	37	100. 0	10-12	14	38	Unknown	0	0
Unknown	0 37 0	0	13+	16	43	OTIKITOWIT	O	O
UTIKTIOWIT	U	U	Unknown	10	3			
			UTINTIOWIT	'	3			
			Low Rirthweight		Tri most	or of First Propata	d Vicit	
			Low Birthweight	1et Tri	Tri mest	er of First Prenata	l Visit	/Unknown
Pace/Ethni ci tv	Rirthe D	Parcent	(under 2 500 am)	1st Tri	mester	2nd Trimester	Other/	'Unknown Percent
Race/Ethni ci ty	Births F		Low Birthweight (under 2,500 gm) Births Percent	Bi rths	mester Percent	2nd Trimester Births Percent	Other/	'Unknown Percent
White	37	100	(under 2 500 am)	1st Tri Births 33	mester	2nd Trimester	Other/	
White Black/Afr. American	37 0	100 0	(under 2 500 am)	Bi rths	mester Percent	2nd Trimester Births Percent	Other/	
White Black/Afr. American American Indian	37 0 0	100 0 0	(under 2 500 am)	Bi rths	mester Percent	2nd Trimester Births Percent	Other/	
White Black/Afr. American American Indian Hispanic/Latino	37 0 0 0	100 0 0 0	(under 2 500 am)	Bi rths	mester Percent	2nd Trimester Births Percent	Other/	
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	37 0 0 0 0	100 0 0 0	(under 2 500 am)	Bi rths	mester Percent	2nd Trimester Births Percent	Other/	
White Black/Afr. American American Indian Hispanic/Latino	37 0 0 0	100 0 0 0	(under 2 500 am)	Bi rths	mester Percent	2nd Trimester Births Percent	Other/	
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	37 0 0 0 0	100 0 0 0	(under 2,500 gm) Births Percent	Bi rths	mester Percent 89	2nd Trimester Births Percent 4 11	Other/ Bi rths	
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	37 0 0 0 0 0	100 0 0 0 0 0	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89	2nd Trimester Births Percent 4 11	Other/ Births	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	37 0 0 0 0 0 	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	37 0 0 0 0 0 Fe Bi rths	100 0 0 0 0 0 ertility Rate	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89	2nd Trimester Births Percent 4 11	Other/ Births	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	37 0 0 0 0 0 Fe Bi rths	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	37 0 0 0 0 0 Fe Bi rths 0	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	37 0 0 0 0 0 	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	37 0 0 0 0 0 Fe Bi rths 0 0 2 6	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent 67	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	37 0 0 0 0 0 Fe Bi rths 0 0 2 6 13	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent 67 92	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	37 0 0 0 0 0 Fe Bi rths 0 0 2 6 13 11	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent 67	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	37 0 0 0 0 0 Fe Bi rths 0 0 2 6 13 11 4	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent 67 92	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	37 0 0 0 0 0 Fe Bi rths 0 0 2 6 13 11	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent 67 92	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	37 0 0 0 0 0 Fe Bi rths 0 0 2 6 13 11 4	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent 67 92	2nd Trimester Births Percent 4 11	Other/ Births	Percent : : : : : : : : : : : : : : : : : : :
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	37 0 0 0 0 0 Fe Bi rths 0 0 2 6 13 11 4 1	100 0 0 0 0 0 	(under 2,500 gm) Births Percent	Bi rths 33	mester Percent 89 Tri mest mester Percent 67 92 100	2nd Trimester Births Percent 4 11	Other/Births	Percent

MORBI DI TY			MORTALITY					
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Di sease Number Campyl obacter Enteritis 0 Gi ardi asi s <5 Hepatitis Type A 0	TOTAL DEATHS Crude Death Rate	e 1, 0	l schemic	heart di sease 1	5 .			
Hepatitis Type B** Hepatitis Type B** Hepatitis NANB/C Legionnaire's Lyme 0	1-4 5-14 15-19		Female Br	reast	*			
Méasles 0 Meningitis, Aseptic 0 Meningitis, Bacterial 0 Mumps 0	20-34 35-54 55-64 65-74	3 8 12	. Pneumoni a . Acci dents	o. Di sease & Infl uenza	2			
Pertussis 0 Sal monel losis 0 Shi gel losis 0 Tubercul osis 0	75-84 85+	11 19	∣ Diahetes	ehicle arasitic Dis.	 1 . 1			
* 2003 provisional data. ** Includes all positive HBsAg test results.	l Neonatal		. ALCOHOL AN	n female population. ND DRUG ABUSE AS UND	DERLYI NG			
Sexually Transmitted Disease	Postneonatal Unknown			TRIBUTING CAUSE OF D gs				
Chlamydia Trachomatis <5 Genital Herpes 0 Gonorrhea 0	Race of Mother White Black	: :	. Both Menti	gs oned s tobacco use (see p				
Syphi I i s 0	Hi spani c Laoti an/Hmong Other/Unknown			MOTOR VEHICLE CRASH				
I MMUNI ZATI ONS	Birthweight <1,500 gm		of	se data are based on crash, not on resid	lence.			
Children in Grades K-12 by Compliance Level Compliant Non-compliant Percent Compliant 99.7		· ·	. Vehicle . Total Cr	ol-Related 2	ns Persons ed Killed 64 1 21 1			
Percent Compliant 99.7	Peri natal Mortal i ty [Total Peri natal Neonatal Fetal	Deaths Ra	With (For For Motors	Speedi ng	2 0 4 0 1 0			
	Fetal		Bi cycl Pedest	ist tri an	0 0 0			

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average	Charge Per Capi ta	I TALI ZATI ONS DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta
nj ury-Rel ated:	Al I					Al cohol -Rel ated					
Total	21	4. 1	6. 6	\$33, 503	\$136	Total	6				
<18	1					18-44	1				
18-44	8					45-64	3				
45-64	5					Pneumonia and I	nfl uenza				
65+	7					Total	1				
Injury: Hip F	racture					<18	0				
Total	0					45-64	1				
65+	0					65+	0				
Injury: Poiso	ni nas					Cerebrovascul ar	Di sease				
Total	0					Total	7				
18-44	Ö					45-64	2		•		
						65+	5				
Psychi atri c						Chronic Obstruc		onary D	i sease		
Total	18					Total	1			_	
<18	7				·	<18	Ö				
18-44	6	•	•	•	•	18-44	Ŏ	•	•	•	•
45-64	Ö	•	•	•	•	45-64	1	•	•	·	•
65+	5	•	•	•	•	65+	Ö	•	•	•	•
001	J	•	•	•	•	Drug-Rel ated	J	•	•	•	•
Coronary Heart	Di sease					Total	2				
Total	24	4. 6	5.0	\$42,037	\$195	18-44	2	•	•	•	•
45-64	10	ч. О	5. 0	Ψ42,007	Ψ175	10 44	_	•	•	•	•
65+	13		•	•	•	Total Hospitali	zati ons				
05+	13	•	•	•	•	Total	194	37. 6	5.2	\$20, 491	\$770
Malignant Neopl	acme (Cai	ncare).	ΔΙΙ			<18	16	37.0	J. Z	Ψ20, 471	Ψ110
Total	10	ricer 3).	ALI			18-44	37	22. 8	6. 1	\$22, 136	\$505
18-44	3	•	•	•	•	45-64	67	43. 5	5. 0	\$20, 868	\$908
45-64	4	•	•	•	•	65+	74	78. 1	4. 8	\$20, 505	\$1,686
45-04 65+	3	•	•	•	•	05+	74	70. 1	4. 0	ΦZ 1, 303	Φ1, 000
Neoplasms: Fe		ast (ra	tos for	fomal o no	nul ati on)	DD	EVENTABLE	HUSDI T		JVIC *	
Total	ar & br & 1	usi (ia	ites IUI	remare po	paration)	Total	12	HUJFII	2. 8	\$7, 525	\$17
Neoplasms: Co	ul o-rocto		•	•	•	10tal <18	12	0. 9	1. 0	\$7, 525 \$3, 755	\$17 \$4
Total	0-1 ectal	ı				18-44	2	1. 2		\$3, 755 \$12, 556	\$4 \$15
65+	0	•	•	•	•	45-64	5	3. 2	2. 8	\$6, 955	\$13 \$23
		•	•	•	•	65+	3 4	3. 2 4. 2	2. o 2. 5	\$6, 955 \$6, 666	\$23 \$28
Neoplasms: Lu Total	ing 1			•		00+	4	4. 2	۷. ک	Φ 0, 00 0	⊅∠δ
)i abetes						* Hospitalizations ambulatory care ca	for cond	itions	where ti	mely and	effecti
Total	1					ambulatory care ca	n reduce	the lik	el i hood	of hospi	tal i zati (
65+	0					1				•	